

Linux Introduction

150519 Martin Dahlö martin.dahlo@scilifelab.uu.se

Enabler for Life Science











Linux Introduction

You will not learn this now. Google it or look at lecture slides when you need it.

Practice makes perfect :)









Enabler for Life Sciences



UPPMAX

- Uppsala Multidisciplinary Center for Advanced Computational Science
 - (Uppsala supercomupter center)
- Clusters
 - Milou
 - Tintin
- Uses Linux



UPPMAX

- Uppsala Multidisciplinary Center for Advanced Computational Science
 - (Uppsala supercomupter center)
- Clusters
 - Milou
 - Tintin
- Uses Linux



Why Text?

- UPPMAX is only accessible through SSH (Secure Shell) for security and speed
 - Command Line Interface (CLI)
- Scary at first, but wonderful to work with
 - Automation and scripts
 - Super computing not possible without it

		Terminal		_ + ×
<u>File Edit View Se</u>	earch <u>T</u> erminal <u>H</u> elp			
drwxr-xr-x 2 mai	rtin martin 409	5 2012-01-26 2	21:06 .	
drwxr-xr-x 53 mai	rtin martin 409	5 2012-01-26 2	21:16	
-rw-rr 1 mag	rtin martin 10809	4 2011-10-06 1	1:05 nautilus-dropbox 0.	6.9 amd6
4.deb				_
-rw-rr 1 mag	rtin martin 457688	9 2011-09-23 2	3:03 nxclient 3.5.0-7 am	d64.deb
[martin@martin-Vi	irtualBox Download	s]\$ cd/		
[martin@martin-Vi	<pre>irtualBox home]\$ l</pre>			
total 8.0K				
drwxr-xr-x 53 mai	rtin martin 4.0K 2	912-01-26 21:1	6 martin	
drwxr-xr-x 40 martin martin 4.0K 2011-06-14 23:22 temp				
[martin@martin-Vi	<pre>irtualBox home]\$ c</pre>	d temp/		
.adobe/	.fontconfig/	.macromedia/	.putty/	
.android/				
	.gconfd/ I			
.compiz/	.gegl-0.0/	.nautilus/	.ssh/	
	.gimp-2.6/			
	.gnome2/			
Desktop/	.gnome2_private/	Pictures/	.thumbnails/	
Documents/	.icons/	projects/	Videos/	
		Public/		
.filezilla/		.pulse/		
[martin@martin-Vi	irtualBox home]\$			

ScilieLab

Name 🔻	Size	Туре	Date Modified
+ i annotations		folder	2011-05-18 15:34:34
🖃 📻 annovar		folder	2011-05-18 15:34:31
🛨 📄 annovarFiles		folder	2011-05-18 15:34:05
+ 📻 compare		folder	2011-05-18 15:34:29
🛨 📄 prepStat		folder	2011-05-18 15:34:29
+ 📻 statFiles		folder	2011-05-18 15:34:06
🖃 📄 summarizePerGene		folder	2011-05-18 15:34:31
🖃 📄 data		folder	2011-05-18 15:34:31
1.annovar	1.4 MB	unknown	2011-05-18 15:34:30
1.annovar.alleleFreq.pdf	895 bytes	PDF document	2011-05-18 15:34:30
1.annovar.exonic_variant_function	242.9 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_dropped	837.2 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_filtered	905.6 KB	unknown	2011-05-18 15:34:30
1.annovar.log	725 bytes	application log	2011-05-18 15:34:30
1.annovar.stat	938 bytes	unknown	2011-05-18 15:34:30
1.annovar.variant_function	2.3 MB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list	94.3 KB	unknown	2011-05-18 15:34:31
1.0 1.non_sym_gene_list_not_in_dbsnp	78.8 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list	4.4 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list_not_in_dbsnp	4.3 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list	51.4 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list_not_in_dbsnp	34.3 KB	unknown	2011-05-18 15:34:31
ABC test.out	2.7 MB	out document	2011-05-18 15:34:31
all.plot		unknown	2011-05-18 15:34:30
📃 summary.ods	23.2 KB	OpenDocument Spreadsheet	2011-05-18 15:34:31



Is – list the content of a directory



Is – list the content of a directory


[dahlo@kalkyl4 dir]\$

N	Name 🔻	Size	Туре	Date Modified
+	dir		folder	2012-01-05 13:44:47



Is – list the content of a directory


[dahlo@kalkyl4 dir]\$ ls
anotherFile.doc directory1 file1.txt file2.old secondDirectory





Is – list the content of a directory

[dahlo@kalkyl4 dir]\$ ls -l
total 192
-rw-r--r-- 1 dahlo uppmax 28214 Jan 5 13:44 anotherFile.doc
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:45 directory1
-rw-r--r-- 1 dahlo uppmax 36458 Jan 5 13:44 file1.txt
-rw-r--r-- 1 dahlo uppmax 2273 Jan 5 13:44 file2.old
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:46 secondDirectory






Size

Туре

Date Modified


- cd change working directory
 - cd <directory name> = down
 - cd .. = up



Name




- cd change working directory
 - cd <directory name> = down
 - cd .. = up






- cd change working directory
 - cd <directory name> = down
 - cd .. = up





- cd change working directory
 - cd <directory name> = down
 - cd .. = up





• pwd – print working directory

[dahlo@kalkyl4 dir]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir



• pwd – print working directory

[dahlo@kalkyl4 dir]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir

[dahlo@kalkyl4 dir]\$ cd directory1/
[dahlo@kalkyl4 directory1]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir/directory1




- Summary
 - Is list content of directroy
 - cd change working directory
 - pwd print working directory

Name 🔻	Size	Туре	Date Modified	
🗉 🧰 dir		folder	2012-01-05 13:44:4	47
• directory1		folder	2012-01-05 13:45:4	43
secondDirectory		folder	2012-01-05 13:46:2	21
bird.jpg	27.6 KB	JPEG Image	2012-01-05 13:46:2	21
tree.jpg	110.2 KB	JPEG Image	2012-01-05 13:46:0	09
anotherFile.doc	27.6 KB	Word document	2012-01-05 13:44:4	47
ABC file1.txt	35.6 KB	plain text document	2012-01-05 13:44:2	15
file2.old	2.2 KB	backup file	2012-01-05 13:44:3	33




- Copy a file
 - cp <name of original> <name of copy>






- Copy a file
 - cp <name of original> <name of copy>





Copy a file


cp <name of original> <name of copy>





Move a file

mv <name of original> <name of copy>






Move a file

mv <name of original> <name of copy>







View content of a file

less <file name>

less readme.txt

-				
<u>F</u> ile	<u>E</u> dit <u>V</u> ier	w <u>S</u> earch <u>T</u> o	ols <u>D</u> ocume	nts <u>H</u> elp
Ð	Open	▼ 🗖 Į Sav	e 🖶	🖍 Undo
r III	eadme.txt	×		
Т	his is t	he content		
0	of readme	.txt		



View content of a file

less <file name>

less readme.txt

This is the content of readme.txt

readme.txt (END)

-
<u>File Edit View Search Tools Documents Help</u>
🖓 🛅 Open 🔻 🕞 Save 📑 🖍 Undo
📰 readme.txt 🗶
This is the content
of readme.txt



View content of a file

less <file name>

less readme.txt

This is the content of readme.txt

readme.txt (END)

(q to exit)

-			
<u>F</u> ile <u>E</u>	dit <u>V</u> iew	<u>S</u> earch <u>T</u> ool	s <u>D</u> ocuments <u>H</u> elp
₽	Open y	V 🕞 Save	E 🖍 Undo
read	dme.txt 🙁		
Thi	s is the	content	
of	readme.tx	xt	



View the first rows of a file

head <filename>

[dahlo@dahlo dahlo]\$



View the first rows of a file

head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root 0 2012-01-17 08:28
drwxrwxrwx 1 root root 0 2012-01-28 21:41 glob
drwxrwxrwx 1 root root 0 2012-08-22 17:06 myDocs
drwxrwxrwx 1 root root 0 2012-01-29 01:10 other stuf
-rwxrwxrwx 1 root root 36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
```



View the first rows of a file

head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                           0 2012-08-22 17:06
drwxrwxrwx 1 root root
                           0 2012-01-29 01:10
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
```



View the first rows of a file

head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
                      0 2012-01-28 21:41
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root 0 2012-08-22 17:06
drwxrwxrwx 1 root root 0 2012-01-29 01:10
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
It was created by PSNC DRMAA for SLURM configure 1.0.5, which was
generated by GNU Autoconf 2.67. Invocation command line was
  $ ./configure --with-slurm-inc=/usr/include/slurm --with-slurm-lib=/usr/lib64/slurm --prefix=/bubo/sw/apps/build/slurm
-drmaa/1.0.5
```

------ ## ## Platform. ## [dahlo@dahlo <mark>dahlo</mark>]\$



View the first n rows of a file

head -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
                          0 2012-01-28 21:41
drwxrwxrwx 1 root root
                       0 2012-08-22 17:06
drwxrwxrwx 1 root root
                        0 2012-01-29 01:10
drwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head -n 3 test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
```

[dahlo@dahlo dahlo]\$

Tail



View the last rows of a file

tail <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                       0 2012-01-17 08:28
                        0 2012-01-28 21:41
drwxrwxrwx 1 root root
                        0 2012-08-22 17:06
drwxrwxrwx 1 root root
                                               IVDo
drwxrwxrwx 1 root root
                          0 2012-01-29 01:10
-rwxrwxrwx 1 root root
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail test.txt
#define HAVE STRCASECMP 1
#define HAVE STRCHR 1
#define HAVE STRDUP 1
#define HAVE STRERROR 1
#define HAVE STRNDUP 1
#define HAVE STRSTR 1
#define HAVE STRTOL 1
#define HAVE VASPRINTF 1
configure: exit 0
[dahlo@dahlo dahlo]$
```





View the last n rows of a file

tail -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root 0 2012-01-17 08:28
                       0 2012-01-28 21:41
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root 0 2012-08-22 17:06
                                              ivDod
drwxrwxrwx 1 root root
                       0 2012-01-29 01:10
-rwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail -n 3 test.txt
#define HAVE VASPRINTF 1
configure: exit 0
```

[dahlo@dahlo dahlo]\$



Edit content of a file

nano <file name>

nano readme.txt




- Edit content of a file
 - nano <file name>
 - nano readme.txt

 $^{-}$ = ctrl

GNU nano 2.2.6

File: readme.txt

his is the content
of readme.txt





Remove a file

rm <file name>

Ex.

rm readme.txt rm ../../file1.txt rm /home/dahlo/test.txt

There is no trash bin in Linux! Gone is gone..



*

Works with most Linux commands

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
```



*

Works with most Linux commands

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
```



*

Works with most Linux commands

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
                          0 2012-01-17 08:28 directory]
drwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
                          0 2012-01-17 08:28 secondDirectory
drwxrwxrwx 1 root root
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l file*
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
[dahlo@dahlo dir]$
```



*

Works with most Linux commands

Ex: cp *.txt directory1/

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
                          0 2012-01-17 08:28 secondDirectory
drwxrwxrwx 1 root root
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l file*
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
[dahlo@dahlo dir]$
```



*

Works with most Linux commands

Ex: rm *.tmp

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
                          0 2012-01-17 08:28 directory]
drwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
                          0 2012-01-17 08:28 secondDirectory
drwxrwxrwx 1 root root
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l file*
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
[dahlo@dahlo dir]$
```





```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano fi]
```



Never write a path or filename without it!

[dahlo@dahlo-linux dir]\$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]\$ nano file



```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file
```



```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file1.txt
```



How much is the computer working?

top

top - 21:27:48 up 37 days, 7:34, 2 users, load average: 6.38, 6.09, 6.03
Tasks: 278 total, 4 running, 274 sleeping, 0 stopped, 0 zombie
Cpu(s): 73.5%us, 1.5%sy, 0.0%ni, 24.3%id, 0.6%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 24598372k total, 17703556k used, 6894816k free, 83596k buffers
Swap: 25165816k total, 29704k used, 25136112k free, 15403636k cached

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU %	\$MEM	TIME+	COMMAND
5751	zhibing	20	Θ	1531m	45m	9492	S	100.0	0.2	679:58.20	invaperco
5755	zhibing	20	Θ	1531m	43m	9492	S	100.0	0.2	679:49.38	invaperco
5759	zhibing	20	Θ	1531m	43m	9480	S	100.0	0.2	679:56.71	invaperco
5779	zhibing	20	Θ	1531m	44m	9492	S	100.0	0.2	679:21.84	invaperco
6212	nicusor	20	Θ	451m	377m	3356	R	100.0	1.6	668:47.67	cretin
28221	roca	20	Θ	3114m	88m	4188	R	99.7	0.4	8:26.15	seward.exe
16870	root	20	Θ	Θ	Θ	Θ	S	0.7	0.0	0:13.69	flush-8:0
1781	root	39	19	Θ	Θ	Θ	S	0.3	0.0	17:26.31	kipmi0
1903	root	20	Θ	Θ	Θ	Θ	S	0.3	0.0	1:24.46	kpanfs dispatch
28483	dahlo	20	Θ	13384	1292	884	R	0.3	0.0	0:00.03	top
1	root	20	Θ	21416	652	448	S	0.0	0.0	0:01.70	init
2	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.03	kthreadd
3	root	RT	Θ	Θ	Θ	Θ	S	0.0	Θ.Θ	0:00.14	migration/0
4	root	20	Θ	Θ	Θ	Θ	S	0.0	Θ.Θ	0:01.40	ksoftirqd/0
5	root	RT	Θ	Θ	Θ	Θ	S	0.0	Θ.Θ	0:00.00	migration/0
											-

Scilife Lab Good to Know Commands

- Instructions how to use programs
 - Easy to forget syntax
 - Manual pages

```
LS(1)
                                                                          User Commands
                                                                                                              LS(1)
                                             NAME
                                                   ls - list directory contents
man <program name>
                                             SYNOPSIS
                                                   ls [OPTION]... [FILE]...
Ex.
                                             DESCRIPTION
                                                   List information about the FILEs (the current directory by default).
                                                   Sort entries alphabetically if none of -cftuvSUX nor --sort.
man Is
                                                   Mandatory arguments to long options are mandatory for short options
                                                   too.
                                                   -a, --all
                                                         do not ignore entries starting with .
                                                   -A. --almost-all
(q to quit)
                                                         do not list implied . and ..
                                             :
```



How do I log out?

exit

Exits only the current terminal

Scilie Good to Know Commands

Summary

- cp copy a file
- mv move a file
- less view a file
- nano view and edit a file
- rm remove a file
- head / tail
- wildcards
- tab completion use it
- top see active processes
- man manual pages
- exit Log out curren terminal



Connect to UPPMAX

Secure SHell connection (ssh)

- ssh -X <username>@milou.uppmax.uu.se
 - Ex: ssh -X dahlo@milou.uppmax.uu.se
- Terminal in Linux and OSX
- MobaXterm in Windows (http://mobaxterm.mobatek.net/)
 - Putty also alternative, but not as good..



Reservations

Special for this course

- salloc -A g2015006 -t 07:00:00 -p core -n 1 --no-shell --reservation=g2015006_19 &
 - --reservation will be proj id and day
 - Will start a node which you have access to
 - Check which node with squeue -u username
 - ssh to given node, from within UPPMAX

```
[dahlo@kalkyl1 work]$ salloc -A g2012205 -t 08:00:00 -p node --no-shell --reservation=sunday
salloc: Granted job allocation 1745256
[dahlo@kalkyl1 work]$ squeue -u dahlo
JOBID PARTITION NAME USER ST TIME NODES NODELIST(REASON)
1745256 devel (null) dahlo R 0:13 1 q36
[dahlo@kalkyl1 work]$
[dahlo@kalkyl1 work]$ ssh -X q36
```



Laboratory time!