

Linux Introduction

2017-11-27

Martin Dahlö martin.dahlo@scilifelab.uu.se

Valentin Georgiev valentin.georgiev@icm.uu.se

Enabler for Life Science











Linux Introduction

You will not learn this now. Google it or/and look at lecture slides when you need it. Look up the links from Pre-course material

Learn by practice and repetition

SciLifeLab







Enabler for Life Sciences



Objectives

What is CLI, shell, terminal


What is directory tree

How to use simple commands for: navigating in the directory tree

manipulating files (create, edit, copy, move, delete)



Linux





Linux

-rw-rr 1 valentin valentin 51709 Oct 12 2015 str1.txt		
-rw-rr 1 valentin valentin 126832 Oct 12 2015 str2.txt		
drwxr-xr-x 2 valentin valentin 4096 Sep 1 2015 Templates		
-rw-r 1 valentin valentin 5 May 10 14:29 .vboxclient-clipboard.pid		
-rw-r 1 valentin valentin 5 May 10 14:29 .vboxclient-display.pid		
-rw-r 1 valentin valentin 5 May 10 14:29 .vboxclient-draganddrop.pi	d	
-rw-r 1 valentin valentin 5 May 10 14:29 .vboxclient-seamless.pid		
drwxr-xr-x 2 valentin valentin 4096 Sep 1 2015 Videos		
-rw 1 valentin valentin 4798 Feb 15 2016 .viminfo		
drwxr-xr-x 3 valentin valentin 4096 Jan 11 2016 websites		
drwxr-xr-x 3 valentin valentin 4096 Jun 8 2016 workspace		
-rw 1 valentin valentin 130 May 10 14:29 .Xauthority		X 4: Smith. 液 白 永 水 塚 注
-rw-rr 1 valentin valentin 131 Sep 2 2015 .xinputrc		
-rw-rr 1 valentin valentin 3197 May 10 14:31 .xsession-errors		
valentin@valentin-VirtualBox ~ \$ ll		
total 780		💦 📲 🔨 🖉 👘 🔚 🔤 Svensk stansids. 🕴 Log in
drwxr-xr-x 35 valentin valentin 4096 May 10 14:30 ./		
drwxr-xr-x 3 root root 4096 Sep 1 2015/		Search (0)
drwx 3 valentin valentin 4096 Sep 2 2015 .adobe/		
-rw 1 valentin valentin 6412 Dec 10 11:48 .bash_history		
-rw-rr 1 valentin valentin 220 Sep 1 2015 .bash_logout		
-rw-rr 1 valentin valentin 305 Feb 15 2016 .bashrc		ar Advanced Computational Calence
drwxr-xr-x 8 valentin valentin 4096 Sep 2 2015 bin /		or Advanced Computational Science
drwxr-xr-x 2 valentin valentin 4096 Nov 3 2016 bioclipse.defaultLogDir_IS	UNDEFINED/	
-rw-rr 1 valentin valentin 366894 Jun 15 2016 bioclipse.log		💰 Denna sida pa svenska 🎧 Liden
drwxr-xr-x 9 valentin valentin 4096 Nov 3 2016 bioclipse-workspace/		
drwxr-xr-x 9 valentin valentin 4096 Sep 2 2015 .cache/		
drwxr-xr-x 17 valentin valentin 4096 Sep 8 2015 .config/		
drwx 3 valentin valentin 4096 Sep 1 2015 dbus/		
-rw-rr 1 valentin valentin 709 Sep 2 2015 derby.log		
drwxr-xr-x 2 valentin valentin 4096 Oct 12 2015 Desktop/		
-rw 1 valentin valentin 2 May 10 14:29 .dmrc		
drwxr-xr-x 2 valentin valentin 4096 Sep 1 2015 Documents/ drwxr-xr-x 3 valentin valentin 4096 Nov 3 2016 Downloads/		
drwx 3 valentin valentin 4090 Mov 3 2010 Downtodus/		UPPMAX SERVICES
-rw-rr 1 valentin valentin 74 Sep 2 2015 .gitconfig		ULLINAY SEUVICES
-rw-r 1 valentin valentin 0 Sep 1 2015 .gtcomig		
drwx 3 valentin valentin 4096 Sep 1 2015 .grome/		UPPMAX (Uppsala Multidisciplinary Center for
drwx 4 valentin valentin 4096 Jun 15 2016 gnome2/		Advanced Computational Science) is Uppsala
drwx 2 valentin valentin 4096 Sep 1 2015 .gnome2 private/		
-rw-rr 1 valentin valentin 37 Jan 11 2016 .httrack.ini		University's resource of high-performance
-rw 1 valentin valentin 15540 May 10 14:29 .ICEauthority		computers, large-scale storage and know-how of
drwxr-xr-x 4 valentin valentin 4096 Sep 7 2015 .java/		
-rw 1 valentin valentin 35 Sep 2 2015 .lesshst		high-performance computing (HPC)
drwxr-xr-x 4 valentin valentin 4096 Sep 1 2015 .linuxmint/		
drwx 3 valentin valentin 4096 Sep 1 2015 .local/		
drwxr-xr-x 3 valentin valentin 4096 Sep 1 2015 .m2/		
drwx 3 valentin valentin 4096 Sep 2 2015 .macromedia/		
drwxr-xr-x 4 valentin valentin 4096 Sep 1 2015 .mozilla/		RESEARCH SHOWCASE
drwxr-xr-x 2 valentin valentin 4096 Sep 1 2015 Music/		
-rw-rr 1 valentin valentin 213 Sep 2 2015 .pam_environment		Read about exciting research done
drwxr-xr-x 4 valentin valentin 4096 Sep 2 2015 parsers/		at UPPMAX





Command Line Interface (CLI)



Concepts

Shell - user interface

Graphical shells - Microsoft shell X Window System

Text (CLI) shells -bashtcshzsh

Terminal







Uppsala Multidisciplinary Center for Advanced Computational Science

(Uppsala supercomputer center)



Computer clusters







Why Text?

UPPMAX is accessible over the internet

Command Line Interface (CLI)

Terminal

	Terminal _ + ×
<u>File Edit View Search Terminal H</u> elp	
drwxr-xr-x 2 martin martin 4096	2012-01-26 21:06 .
drwxr-xr-x 53 martin martin 4096	2012-01-26 21:16
-rw-rr 1 martin martin 108094	2011-10-06 11:05 nautilus-dropbox 0.6.9 amd6
4.deb	
-rw-rr 1 martin martin 4576880	2011-09-23 23:03 nxclient 3.5.0-7 amd64.deb
[martin@martin-VirtualBox Downloads]\$ cd/
[martin@martin-VirtualBox home]\$ l	
total 8.0K	
drwxr-xr-x 53 martin martin 4.0K 20	12-01-26 21:16 martin
drwxr-xr-x 40 martin martin 4.0K 20	11-06-14 23:22 temp
[martin@martin-VirtualBox home]\$ cd	temp/
.adobe/ .fontconfig/ .	macromedia/ .putty/
.android/ .gconf/ .	mozilla/ .qt/
.cache/ .gconfd/ M	lusic/ ssh/
.compiz/ .gegl-0.0/ .	nautilus/ .ssh/
.config/ .gimp-2.6/ .	nx/ Templates/
	openoffice.org/ .themes/
Desktop/ .gnome2_private/ P	lictures/ .thumbnails/
Documents/ .icons/ p	
Downloads/ .linuxmint/ P	
.filezilla/ .local/	pulse/
[martin@martin-VirtualBox home]\$	



Files and programs



Data



Files



File structure (directory tree)

Directory tree

Name 🔻	Size	Туре	Date Modified
+ 📄 annotations		folder	2011-05-18 15:34:34
🖃 📄 annovar		folder	2011-05-18 15:34:31
🛨 📻 annovarFiles		folder	2011-05-18 15:34:05
compare		folder	2011-05-18 15:34:29
🛨 📻 prepStat		folder	2011-05-18 15:34:29
statFiles		folder	2011-05-18 15:34:06
Image: SummarizePerGene		folder	2011-05-18 15:34:31
🖃 📠 data		folder	2011-05-18 15:34:31
1.annovar	1.4 MB	unknown	2011-05-18 15:34:30
1.annovar.alleleFreq.pdf	895 bytes	PDF document	2011-05-18 15:34:30
1.annovar.exonic_variant_function	242.9 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_dropped	837.2 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_filtered	905.6 KB	unknown	2011-05-18 15:34:30
1.annovar.log	725 bytes	application log	2011-05-18 15:34:30
1.annovar.stat	938 bytes	unknown	2011-05-18 15:34:30
1.annovar.variant_function	2.3 MB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list	94.3 KB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list_not_in_dbsnp	78.8 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list	4.4 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list_not_in_dbsnp	4.3 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list	51.4 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list_not_in_dbsnp	34.3 KB	unknown	2011-05-18 15:34:31
test.out	2.7 MB	out document	2011-05-18 15:34:31
all.plot	500 bytes	unknown	2011-05-18 15:34:30
summary.ods	23.2 KB	OpenDocument Spreadsheet	2011-05-18 15:34:31

SciLife

Lab

UPPSALA



Programs





Programs = commands





program_name -option1 -option2 input_file output_file

options and input/output files - can be optional



home directory your own (account) directory

working directory the directory you are "sitting" in <u>now</u>



pwd – print working directory

[dahlo@kalkyl4 dir]\$



pwd – print working directory

[dahlo@kalkyl4 dir]\$

[dahlo@kalkyl4 dir]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir



Is - list the content of a directory



Is - list the content of a directory


[dahlo@kalkyl4 dir]\$





Is - list the content of a directory


[dahlo@kalkyl4 dir]\$ ls
anotherFile.doc directory1 file1.txt file2.old secondDirectory





Is – list the content of a directory

[dahlo@kalkyl4 dir]\$ ls -l
total 192
-rw-r--r-- 1 dahlo uppmax 28214 Jan 5 13:44 anotherFile.doc
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:45 directory1
-rw-r--r-- 1 dahlo uppmax 36458 Jan 5 13:44 file1.txt
-rw-r--r-- 1 dahlo uppmax 2273 Jan 5 13:44 file2.old
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:46 secondDirectory





cd – change working directory

cd <directory name>

= down/forward

[dahlo@kalkyl4 dir]\$ cd directory1
[dahlo@kalkyl4 directory1]\$

Name	Size	Туре	Date Modified	
🖻 🧰 dir		folder	2012-01-05	13:44:47
• directory1		folder	2012-01-05	13:45:43
• secondDirectory		folder	2012-01-05	13:46:21
anotherFile.doc	27.6 KB	Word document	2012-01-05	13:44:47
ABC file1.txt	35.6 KB	plain text document	2012-01-05	13:44:15
file2.old	2.2 KB	backup file	2012-01-05	13:44:33



cd – change working directory

cd <directory name>

= down/forward





cd – change working directory

cd <directory name>


= down/forward

cd ..

total 252

[dahlo@kalkyl4 secondDirectory]\$ ls -l

-rw-r--r-- 1 dahlo uppmax 112853 Jan



= up/back




cd – change working directory

cd <directory name>

= down/forward

cd ..







cd – change working directory

cd <directory name> = down/forward
cd .. = up/back
cd = go home

= cd /home/dahlo/



Summary **pwd** – print working directory **Is** – list content of directory **cd** – change working directory

Name 🔻	Size	Туре	Date Modified	
🖻 🔚 dir		folder	2012-01-05	13:44:47
• directory1	-	folder	2012-01-05	13:45:43
E secondDirectory		folder	2012-01-05	13:46:21
bird.jpg	27.6 KB	JPEG Image	2012-01-05	13:46:21
tree.jpg	110.2 KB	JPEG Image	2012-01-05	13:46:09
anotherFile.doc	27.6 KB	Word document	2012-01-05	13:44:47
ABC Instruments In	35.6 KB	plain text document	2012-01-05	13:44:15
file2.old	2.2 KB	backup file	2012-01-05	13:44:33



Interaction Commands


cp - copy a file cp <name of original> <name of copy>



Interaction Commands

cp - copy a file cp <name of original> <name of copy>

cp myText.txt copy_of_my_text.txt






Interaction Commands

cp - copy a file cp <name of original> <name of copy>

cp /home/dahlo/test.txt ../






mv - move a file

mv <name of the file> <name of the "copy">

mv /home/dahlo/test.txt ../../myDocs/






mv - rename a file

mv <original name> <new name>

mv myText.txt copy_of_my_text.txt





less - view content of a file less <file name>

less readme.txt

-				
<u>F</u> ile <u>E</u> o	dit <u>V</u> iew <u>S</u> e	arch <u>T</u> ools	<u>D</u> ocuments	<u>H</u> elp
₽ i	🖥 Open 🔻	□ _≣ Save		Undo
📰 read	me.txt 🗶			
Thi	s is the co	ontent		
of	readme.txt			



less - view content of a file less <file name>

less readme.txt

This is the content of readme.txt


readme.txt (END)

-
<u>File Edit View Search Tools Documents Help</u>
🖓 🛅 Open 🔻 🕞 Save 📑 🖍 Undo
readme.txt 🗶
This is the content
of readme.txt



less - view content of a file less <file name>

less readme.txt





head - view the first rows of a file head <filename>

[dahlo@dahlo dahlo]\$



head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16 .
drwxrwxrwx 1 root root 0 2012-01-17 08:28 ..
drwxrwxrwx 1 root root 0 2012-01-28 21:41 glob
drwxrwxrwx 1 root root 0 2012-08-22 17:06 myDocs
drwxrwxrwx 1 root root 0 2012-01-29 01:10 other stuff
-rwxrwxrwx 1 root root 36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
```



head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                          0 2012-08-22 17:06
drwxrwxrwx 1 root root
                         0 2012-01-29 01:10
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
```



head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
                      0 2012-01-28 21:41
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root 0 2012-08-22 17:06
drwxrwxrwx 1 root root 0 2012-01-29 01:10
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
It was created by PSNC DRMAA for SLURM configure 1.0.5, which was
generated by GNU Autoconf 2.67. Invocation command line was
  $ ./configure --with-slurm-inc=/usr/include/slurm --with-slurm-lib=/usr/lib64/slurm --prefix=/bubo/sw/apps/build/slurn
-drmaa/1.0.5
```

Platform.
[dahlo@dahlo dahlo]\$



head - view the first rows of a file head -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root
                          0 2012-01-28 21:41
                       0 2012-08-22 17:06
drwxrwxrwx 1 root root
                        0 2012-01-29 01:10
drwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head -n 3 test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
```

[dahlo@dahlo dahlo]\$



Tail

tail - view the last rows of a file tail <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                           0 2012-08-22 17:06
drwxrwxrwx 1 root root
                           0 2012-01-29 01:10
drwxrwxrwx 1 root root
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail test.txt
#define HAVE STRCASECMP 1
#define HAVE STRCHR 1
#define HAVE STRDUP 1
#define HAVE STRERROR 1
#define HAVE STRNDUP 1
#define HAVE STRSTR 1
#define HAVE STRTOL 1
#define HAVE VASPRINTF 1
configure: exit 0
[dahlo@dahlo dahlo]$
```



Tail

tail - view the last n rows of a file tail -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                        0 2012-01-17 08:28
drwxrwxrwx 1 root root
                       0 2012-01-28 21:41
drwxrwxrwx 1 root root
                          0 2012-08-22 17:06
drwxrwxrwx 1 root root
                          0 2012-01-29 01:10
                                              ther stuf
-rwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail -n 3 test.txt
#define HAVE VASPRINTF 1
```

```
configure: exit 0
[dahlo@dahlo dahlo]$
```



nano - edit content of a file nano <file name>

nano readme.txt




nano - edit content of a file nano <file name> nano readme.txt

^ = ctrl

GNU nano 2.2.6

File: readme.txt

I his is the content
of readme.txt





rm - remove a file rm <file name>

Ex.

rm readme.txt rm ../../file1.txt rm /home/dahlo/test.txt

There is no trash bin in CLI! Gone is gone..



Wildcards

Works with most Linux commands

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
```



Wildcards

Works with most Linux commands

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
```



Wildcards

Works with most Linux commands

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root
                          0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
                          0 2012-01-17 08:28 secondDirectory
drwxrwxrwx 1 root root
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l file*
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
[dahlo@dahlo dir]$
```





Works with most Linux commands

Ex: cp *.txt directory1/





Works with most Linux commands

Ex: rm *.tmp



(try to) never type a path or filename without it!



(try to) never type a path or filename without it!

[dahlo@dahlo-linux dir]\$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]\$ nano fi



(try to) never type a path or filename without it!

[dahlo@dahlo-linux dir]\$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]\$ nano file



(try to) never type a path or filename without it!

```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file
```



(try to) never type a path or filename without it!

```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file1.txt
```



top - how much is the computer working?

top - 21:27:48 up 37 days, 7:34, 2 users, load average: 6.38, 6.09, 6.03
Tasks: 278 total, 4 running, 274 sleeping, 0 stopped, 0 zombie
Cpu(s): 73.5%us, 1.5%sy, 0.0%ni, 24.3%id, 0.6%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 24598372k total, 17703556k used, 6894816k free, 83596k buffers
Swap: 25165816k total, 29704k used, 25136112k free, 15403636k cached

DTD	UCED	DD	NIT	VIDT	DEC	CUD	0	9.CDU 9	MEM	TIME COMMAND
	USER	PR	NI	VIRT	RES	SHK	2	%CPU 9	amem	TIME+ COMMAND
5751	zhibing	20	Θ	1531m	45m	9492	S	100.0	0.2	679:58.20 invaperco
5755	zhibing	20	Θ	1531m	43m	9492	S	100.0	0.2	679:49.38 invaperco
5759	zhibing	20	Θ	1531m	43m	9480	S	100.0	0.2	679:56.71 invaperco
5779	zhibing	20	Θ	1531m	44m	9492	S	100.0	0.2	679:21.84 invaperco
6212	nicusor	20	Θ	451m	377m	3356	R	100.0	1.6	668:47.67 cretin
28221	roca	20	Θ	3114m	88m	4188	R	99.7	0.4	8:26.15 seward.exe
16870	root	20	Θ	Θ	Θ	Θ	S	0.7	0.0	0:13.69 flush-8:0
1781	root	39	19	Θ	Θ	Θ	S	0.3	0.0	17:26.31 kipmi0
1903	root	20	Θ	Θ	Θ	Θ	S	0.3	0.0	1:24.46 kpanfs dispatch
28483	dahlo	20	Θ	13384	1292	884	R	0.3	0.0	0:00.03 top
1	root	20	Θ	21416	652	448	S	0.0	0.0	0:01.70 init
2	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.03 kthreadd
3	root	RT	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.14 migration/0
4	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:01.40 ksoftirqd/0
5	root	RT	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.00 migration/0

ScilifeLab Good to Know Commands

Instructions how to use programs Easy to forget syntax

Manual pages

man <program name> Ex. man ls

(q to quit)

LS(1) User Commands LS(1)

NAHE

SYNOPSIS

ls [<u>OPTION</u>]... [<u>FILE</u>]...

ls - list directory contents

DESCRIPTION

List information about the FILEs (the current directory by default). Sort entries alphabetically if none of -cftuvSUX nor --sort.

Mandatory arguments to long options are mandatory for short options too.

-a, --all

do not ignore entries starting with .

-A, --almost-all

do not list implied . and ..

:



How do I log out? exit

Exits only the current terminal



Scilifetab Good to Know Commands

- Summary
 - cp copy a file
 - mv move a file
 - less view a file
 - nano view and edit a file
 - rm remove a file
 - head / tail
 - wildcards
 - tab completion use it!!!
 - top see active processes
 - man manual pages
 - exit Log out current terminal



Google	how rename multiple files in linux						Ŷ	پ ۹		
	All	Videos	Images	News	Shopping	More	Settings	Tools		

About 581 000 results (0,79 seconds)

However, **renaming multiple** or group of **files** quickly makes it very difficult task in a terminal. **Linux** comes with a very powerful built-in tool called **rename**. The **rename** command is used to **rename multiple** or group of **files**, **rename files** to lowercase, **rename files** to uppercase and overwrite **files** using perl expressions. Oct 10, 2013



Rename – A Command Line Tool For Renaming Multiple Files in Linux https://www.tecmint.com/rename-multiple-files-in-linux/

> About this result Feedback

Howto: Linux Rename Multiple Files At a Shell Prompt – nixCraft https://www.cyberciti.biz/tips/renaming-multiple-files-at-a-shell-prompt.html •

Nov 26, 2005 - Rename command syntax. It is a faster way to group rename files in Linux or Unix-like system. Say hello to zmv for zsh. Say hello to mmv command. Examples: Linux Rename Multiple Files Using a Shell Script. POSIX shell rename all *.bak to *.txt. Linux Shell script to rename files. Perl Script To Rename File.

linux - How to rename multiple files in single command or script in ... https://unix.stackexchange.com/.../how-to-rename-multiple-files-in-single-command-... •

Enabler for Life Science











Connect to UPPMAX

ssh - Secure SHell connection (ssh)

ssh -Y <username>@milou.uppmax.uu.se
Ex:
 ssh -Y valent@milou.uppmax.uu.se

Terminal in Linux and OS X

MobaXterm in Windows (http://mobaxterm.mobatek.net/) Putty also alternative, but not as good..



Reservations

Special for this course

salloc -A g2017029 -t 07:00:00 -p core -n 1 --no-shell --reservation=g2017029_MON & --reservation will be proj id and day Will start a node which you have access to Check which node with squeue -u username ssh to given node, from within UPPMAX



Laboratory time!