

Linux Introduction

2018-05-21

Martin Dahlö martin.dahlo@scilifelab.uu.se

Valentin Georgiev valentin.georgiev@icm.uu.se

Enabler for Life Science











Linux Introduction

Look up the links from Pre-course material, use Google, and ...

Learn by practice and repetition!!!

Enabler for Life Science











UPPMAX

- Uppsala Multidisciplinary Center for Advanced Computational Science
 - (Uppsala supercomupter center)
- Clusters
 - Rackham
 - Bianca
- Uses Linux




UPPMAX

- Uppsala Multidisciplinary Center for Advanced Computational Science
 - (Uppsala supercomupter center)
- Clusters
 - Rackham
 - Bianca
- Uses Linux



Linux





Linux

```
-rw-r--r-- 1 valentin valentin 51709 Oct 12 2015 strl.txt
 rw-r--r-- 1 valentin valentin 126832 Oct 12 2015 str2.txt
drwxr-xr-x 2 valentin valentin
                                4096 Sep 1 2015 Templates
-rw-r---- 1 valentin valentin
                                   5 May 10 14:29 .vboxclient-clipboard.pid
 rw-r---- 1 valentin valentin
                                   5 May 10 14:29 .vboxclient-display.pid
                                   5 May 10 14:29 .vboxclient-draganddrop.pid
-rw-r---- 1 valentin valentin
-rw-r---- 1 valentin valentin
                                   5 May 10 14:29 .vboxclient-seamless.pid
drwxr-xr-x 2 valentin valentin
                                4096 Sep 1 2015 Videos
-rw----- 1 valentin valentin
                                4798 Feb 15 2016 .viminfo
                                 4096 Jan 11 2016 websites
drwxr-xr-x 3 valentin valentin
drwxr-xr-x 3 valentin valentin
                                4096 Jun 8 2016 workspace
-rw----- 1 valentin valentin
                                 130 May 10 14:29 .Xauthority
-rw-r--r-- 1 valentin valentin
                                 131 Sep 2 2015 .xinputrc
-rw-r--r-- 1 valentin valentin 3197 May 10 14:31 .xsession-errors
valentin@valentin-VirtualBox ~ $ ll
total 780
drwxr-xr-x 35 valentin valentin
                                4096 May 10 14:30 /
drwxr-xr-x 3 root
                      root
                                 4096 Sep 1 2015 .../
drwx----- 3 valentin valentin
                                4096 Sep 2 2015 .adobe/
-rw----- 1 valentin valentin
                                6412 Dec 10 11:48 .bash history
-rw-r--r-- 1 valentin valentin
                                 220 Sep 1 2015 .bash logout
-rw-r--r-- 1 valentin valentin
                                 305 Feb 15 2016 .bashrc
drwxr-xr-x 8 valentin valentin
                                4096 Sep 2 2015 bin/
                                 4096 Nov 3 2016 bioclipse.defaultLogDir IS UNDEFINED/
drwxr-xr-x 2 valentin valentin
-rw-r--r-- 1 valentin valentin 366894 Jun 15 2016 bioclipse.log
drwxr-xr-x 9 valentin valentin
                                4096 Nov 3 2016 bioclipse-workspace/
drwxr-xr-x 9 valentin valentin
                                4096 Sep 2 2015 .cache/
drwxr-xr-x 17 valentin valentin
                                4096 Sep 8 2015 .config/
                                4096 Sep 1 2015 .dbus/
drwx----- 3 valentin valentin
-rw-r--r-- 1 valentin valentin
                                 709 Sep 2 2015 derby.log
                                4096 Oct 12 2015 Desktop/
drwxr-xr-x 2 valentin valentin
                                   2 May 10 14:29 .dmrc
-rw----- 1 valentin valentin
drwxr-xr-x 2 valentin valentin
                                4096 Sep 1 2015 Documents/
drwxr-xr-x 3 valentin valentin
                                4096 Nov 3 2016 Downloads/
drwx----- 3 valentin valentin
                                4096 May 10 14:29 .gconf/
-rw-r--r-- 1 valentin valentin
                                  74 Sep 2 2015 .gitconfig
-rw-r----- 1 valentin valentin
                                   0 Sep 1 2015 .gksu.lock
                                4096 Sep 1 2015 .gnome/
drwx----- 3 valentin valentin
                                4096 Jun 15 2016 .gnome2/
drwx----- 4 valentin valentin
                                4096 Sep 1 2015 .gnome2 private/
drwx----- 2 valentin valentin
-rw-r--r-- 1 valentin valentin
                                  37 Jan 11 2016 .httrack.ini
-rw----- 1 valentin valentin
                               15540 May 10 14:29 .ICEauthority
drwxr-xr-x 4 valentin valentin
                                4096 Sep 7 2015
-rw----- 1 valentin valentin
                                  35 Sep 2 2015 .lesshst
                                4096 Sep 1 2015 .linuxmint/
drwxr-xr-x 4 valentin valentin
drwx----- 3 valentin valentin
                                4096 Sep 1 2015 .local/
drwxr-xr-x 3 valentin valentin
                                4096 Sep 1 2015 .m2/
drwx----- 3 valentin valentin
                                4096 Sep 2 2015 .macromedia/
drwxr-xr-x 4 valentin valentin
                                4096 Sep 1 2015 .mozilla/
drwxr-xr-x 2 valentin valentin
                                4096 Sep 1 2015 Music/
                                 213 Sep 2 2015 .pam environment
-rw-r--r-- 1 valentin valentin
drwxr-xr-x 4 valentin valentin
                                4096 Sep 2 2015 parsers/
```



Directory tree

Name ▼	Size	Туре	Date Modified
+ annotations		folder	2011-05-18 15:34:34
- annovar		folder	2011-05-18 15:34:31
annovarFiles		folder	2011-05-18 15:34:05
• compare		folder	2011-05-18 15:34:29
→ prepStat		folder	2011-05-18 15:34:29
• statFiles		folder	2011-05-18 15:34:06
 summarizePerGene 		folder	2011-05-18 15:34:31
- fata		folder	2011-05-18 15:34:31
1.annovar	1.4 MB	unknown	2011-05-18 15:34:30
1.annovar.alleleFreq.pdf	895 bytes	PDF document	2011-05-18 15:34:30
1.annovar.exonic_variant_function	242.9 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_dropped	837.2 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_filtered	905.6 KB	unknown	2011-05-18 15:34:30
1.annovar.log	725 bytes	application log	2011-05-18 15:34:30
1.annovar.stat	938 bytes	unknown	2011-05-18 15:34:30
1.annovar.variant_function	2.3 MB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list	94.3 KB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list_not_in_dbsnp	78.8 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list	4.4 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list_not_in_dbsnp	4.3 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list	51.4 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list_not_in_dbsnp	34.3 KB	unknown	2011-05-18 15:34:31
test.out	2.7 MB	out document	2011-05-18 15:34:31
01 10 all.plot	500 bytes	unknown	2011-05-18 15:34:30
summary.ods	23.2 KB	OpenDocument Spreadsheet	2011-05-18 15:34:31




Is – list the content of a directory



Is – list the content of a directory


[dahlo@kalkyl4 dir]\$





Is – list the content of a directory

```
[dahlo@kalkyl4 dir]$ ls
anotherFile.doc directory1 file1.txt file2.old secondDirectory
```





Is – list the content of a directory

```
[dahlo@kalkyl4 dir]$ ls -l
total 192
-rw-r--r-- 1 dahlo uppmax 28214 Jan 5 13:44 anotherFile.doc
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:45 directory1
-rw-r--r-- 1 dahlo uppmax 36458 Jan 5 13:44 file1.txt
-rw-r--r-- 1 dahlo uppmax 2273 Jan 5 13:44 file2.old
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:46 secondDirectory
```

Name ▼	Size	Туре	Date Modified
⊡ dir		folder	2012-01-05 13:44:47
directory1		folder	2012-01-05 13:45:43
• secondDirectory		folder	2012-01-05 13:46:21
anotherFile.doc	27.6 KB	Word document	2012-01-05 13:44:47
ABC United the state of the control	35.6 KB	plain text document	2012-01-05 13:44:15
file2.old	2.2 KB	backup file	2012-01-05 13:44:33



- cd change working directory
 - cd <directory name> = down
 - cd .. = up

[dahlo@kalkyl4 dir]\$ cd directory1
[dahlo@kalkyl4 directory1]\$





- cd change working directory
 - cd <directory name> = down
 - cd .. = up

```
[dahlo@kalkyl4 dir]$ cd directory1
[dahlo@kalkyl4 directory1]$ ls -l
total 184
-rw-r--r-- 1 dahlo uppmax 56427 Jan 5 13:45 notes
-rw-r--r-- 1 dahlo uppmax 25301 Jan 5 13:45 test.txt
```

Name ▼	Size	Туре	Date Modified	
- dir		folder	2012-01-05 13:44	1:47
directory1		folder	2012-01-05 13:45	5:43
1101 1101 1001 notes	55.1 KB	unknown	2012-01-05 13:45	5:43
test.txt	24.7 KB	plain text document	2012-01-05 13:45	5:26
secondDirectory		folder	2012-01-05 13:46	5:21
anotherFile.doc	27.6 KB	Word document	2012-01-05 13:44	1:47
file1.txt	35.6 KB	plain text document	2012-01-05 13:44	1:15
file2.old	2.2 KB	backup file	2012-01-05 13:44	1:33



- cd change working directory
 - cd <directory name> = down
 - cd .. = up

```
[dahlo@kalkyl4 directory1]$ cd ../secondDirectory
[dahlo@kalkyl4 secondDirectory]$ ls -l
total 252
-rw-r--r-- 1 dahlo uppmax 28214 Jan 5 13:46 bird.jpg
-rw-r--r-- 1 dahlo uppmax 112853 Jan 5 13:46 tree.jpg
```

		71		
□ dir		folder	2012-01-05	13:44:47
• directory1		folder	2012-01-05	13:45:43
□ secondDirectory		folder	2012-01-05	13:46:21
bird.jpg	27.6 KB	JPEG Image	2012-01-05	13:46:21
tree.jpg	110.2 KB	JPEG Image	2012-01-05	13:46:09
anotherFile.doc	27.6 KB	Word document	2012-01-05	13:44:47
file1.txt	35.6 KB	plain text document	2012-01-05	13:44:15
file2.old	2.2 KB	backup file	2012-01-05	13:44:33

Date Modified



- cd change working directory
 - cd <directory name> = down
 - cd .. = up

```
[dahlo@kalkyl4 secondDirectory]$ ls -l ../directory1/
total 184
```

-rw-r--r-- 1 dahlo uppmax 56427 Jan 5 13:45 notes -rw-r--r-- 1 dahlo uppmax 25301 Jan 5 13:45 test.txt

Name ▼	Size	Туре	Date Modified
⊡ dir		folder	2012-01-05 13:44:4
- directory1		folder	2012-01-05 13:45:4
notes	55.1 KB	unknown	2012-01-05 13:45:4
ABC test.txt	24.7 KB	plain text document	2012-01-05 13:45:20
secondDirectory		folder	2012-01-05 13:46:2
anotherFile.doc	27.6 KB	Word document	2012-01-05 13:44:4
ABC file1.txt	35.6 KB	plain text document	2012-01-05 13:44:1
file2.old	2.2 KB	backup file	2012-01-05 13:44:3



pwd – print working directory

```
[dahlo@kalkyl4 dir]$ pwd
/home/dahlo/glob/work/testarea/temp/dir
```




pwd – print working directory

```
[dahlo@kalkyl4 dir]$ pwd
/home/dahlo/glob/work/testarea/temp/dir
[dahlo@kalkyl4 dir]$ cd directory1/
[dahlo@kalkyl4 directory1]$ pwd
/home/dahlo/glob/work/testarea/temp/dir/directory1
```



- Summary
 - Is list content of directroy
 - cd change working directory
 - pwd print working directory






```
cp - copy a file
  cp <name of original> <name of copy>
```



cp - copy a file
 cp <name of original> <name of copy>


cp myText.txt copy_of_my_text.txt





cp - copy a file
 cp <name of original> <name of copy>


cp /home/dahlo/test.txt ../





mv - move a file
mv <name of the file> <name of the "copy">


mv /home/dahlo/test.txt ../../myDocs/





mv - rename a file
 mv <original name> <new name>


mv myText.txt copy_of_my_text.txt





less - view content of a file less <file name>

less readme.txt






less - view content of a file less <file name>

less readme.txt

This is the content of readme.txt

readme.txt (END)






less - view content of a file less <file name>

less readme.txt

This is the content of readme.txt

readme.txt (END)

press Q to exit less





head - view the first rows of a file head <filename>

[dahlo@dahlo dahlo]\$



head - view the first rows of a file head <filename>



head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                          0 2012-08-22 17:06
drwxrwxrwx 1 root root
                         0 2012-01-29 01:10
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
```



[dahlo@dahlo dahlo]\$

Head

head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
                      0 2012-01-28 21:41
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root 0 2012-08-22 17:06
drwxrwxrwx 1 root root 0 2012-01-29 01:10
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
It was created by PSNC DRMAA for SLURM configure 1.0.5, which was
generated by GNU Autoconf 2.67. Invocation command line was
  $ ./configure --with-slurm-inc=/usr/include/slurm --with-slurm-lib=/usr/lib64/slurm --prefix=/bubo/sw/apps/build/slurm
-drmaa/1.0.5
## ---- ##
## Platform. ##
```



head - view the first rows of a file head -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root
                          0 2012-01-28 21:41
                       0 2012-08-22 17:06
drwxrwxrwx 1 root root
                        0 2012-01-29 01:10
drwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head -n 3 test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
[dahlo@dahlo dahlo]$
```





[dahlo@dahlo dahlo]\$ ls -l

tail - view the last rows of a file tail <filename>

```
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                           0 2012-08-22 17:06
drwxrwxrwx 1 root root
                           0 2012-01-29 01:10
drwxrwxrwx 1 root root
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail test.txt
#define HAVE STRCASECMP 1
#define HAVE STRCHR 1
#define HAVE STRDUP 1
#define HAVE STRERROR 1
#define HAVE STRNDUP 1
#define HAVE STRSTR 1
#define HAVE STRTOL 1
#define HAVE VASPRINTF 1
configure: exit 0
[dahlo@dahlo dahlo]$
```





tail - view the last n rows of a file tail -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                        0 2012-01-17 08:28
drwxrwxrwx 1 root root
                       0 2012-01-28 21:41
drwxrwxrwx 1 root root
                          0 2012-08-22 17:06
drwxrwxrwx 1 root root
                          0 2012-01-29 01:10
-rwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail -n 3 test.txt
#define HAVE VASPRINTF 1
configure: exit 0
[dahlo@dahlo dahlo]$
```



nano - edit content of a file
nano <file name>

nano readme.txt





nano - edit content of a file nano <file name> nano readme.txt


^ = ctrl


GNU nano 2.2.6 File: readme.txt


This is the content of readme.txt
















Interaction Commands

rm - remove a file

There is no trash bin in CLI! Gone is gone..

```
rm <file name>
```

```
rm readme.txt
rm ../../file1.txt
rm /home/dahlo/test.txt
```









```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
```





```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
                          0 2012-01-17 08:28 secondDirectory
drwxrwxrwx 1 root root
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
[dahlo@dahlo dirl$ ls -l file*
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
[dahlo@dahlo dir]$
```



*

Works with most Linux commands

```
Ex: cp *.txt directory1/
```



*

Works with most Linux commands

```
Ex: rm *.tmp
```



SciLifeLab The most important thing

TAB COMPLETION



```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano fi
```





```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file
```





SciLifeLab Good to Know Commands

top - how much is the computer working? top

```
top - 21:27:48 up 37 days, 7:34, 2 users, load average: 6.38, 6.09, 6.03
Tasks: 278 total, 4 running, 274 sleeping, 0 stopped, 0 zombie
Cpu(s): 73.5%us, 1.5%sy, 0.0%ni, 24.3%id, 0.6%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 24598372k total, 17703556k used, 6894816k free, 83596k buffers
Swap: 25165816k total, 29704k used, 25136112k free, 15403636k cached
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU %	6MEM	TIME+ COMMAND	ı
5751	zhibing	20	Θ	1531m	45m	9492	S	100.0	0.2	679:58.20 invaperco	
5755	zhibing	20	Θ	1531m	43m	9492	S	100.0	0.2	679:49.38 invaperco	
5759	zhibing	20	Θ	1531m	43m	9480	S	100.0	0.2	679:56.71 invaperco	
5779	zhibing	20	Θ	1531m	44m	9492	S	100.0	0.2	679:21.84 invaperco	
6212	nicusor	20	Θ	451m	377m	3356	R	100.0	1.6	668:47.67 cretin	
28221	roca	20	Θ	3114m	88m	4188	R	99.7	0.4	8:26.15 seward.exe	
16870	root	20	Θ	Θ	Θ	Θ	S	0.7	0.0	0:13.69 flush-8:0	
1781	root	39	19	Θ	Θ	Θ	S	0.3	0.0	17:26.31 kipmi0	
1903	root	20	Θ	Θ	Θ	Θ	S	0.3	0.0	1:24.46 kpanfs dispatch	
28483	dahlo	20	Θ	13384	1292	884	R	0.3	0.0	0:00.03 top	
1	root	20	Θ	21416	652	448	S	0.0	Θ.Θ	0:01.70 init	
2	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.03 kthreadd	
3	root	RT	Θ	Θ	Θ	Θ	S	0.0	Θ.Θ	0:00.14 migration/0	
4	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:01.40 ksoftirqd/0	
5	root	RT	Θ	Θ	Θ	Θ	S	0.0	Θ.Θ	0:00.00 migration/0	



SciLifeLab Good to Know Commands

Instructions how to use programs Easy to forget syntax Manual pages

```
LS(1)
                                                                            User Commands
                                                                                                              LS(1)
                                                NAME
Ex.
                                                      ls - list directory contents
                                                SYNOPSIS
     man Is
                                                      ls [OPTION]... [FILE]...
                                                DESCRIPTION
                                                      List information about the FILEs (the current directory by default).
                                                      Sort entries alphabetically if none of -cftuvSUX nor --sort.
     (q to quit)
                                                      Mandatory arguments to long options are mandatory for short options
                                                      too.
                                                      -a, --all
                                                            do not ignore entries starting with .
                                                      -A. --almost-all
                                                            do not list implied . and ..
```

:

Scilifelab Good to Know Commands

How do I log out? exit

Exits only the current terminal

Scilifelab Good to Know Commands

- Summary
 - cp copy a file
 - mv move a file
 - less view a file
 - nano view and edit a file
 - rm remove a file
 - head / tail
 - wildcards
 - tab completion use it!!!
 - top see active processes
 - man manual pages
 - exit Log out current terminal



how rename multiple files in linux





AII

Videos

Images

News

Shopping

More

Settings

Tools

About 581 000 results (0,79 seconds)

However, **renaming multiple** or group of **files** quickly makes it very difficult task in a terminal. Linux comes with a very powerful built-in tool called **rename**. The rename command is used to rename multiple or group of files, rename files to lowercase, rename files to uppercase and overwrite files using perl expressions. Oct 10, 2013



Rename – A Command Line Tool For Renaming Multiple Files in Linux https://www.tecmint.com/rename-multiple-files-in-linux/

About this result



Feedback

Howto: Linux Rename Multiple Files At a Shell Prompt – nixCraft

https://www.cyberciti.biz/tips/renaming-multiple-files-at-a-shell-prompt.html ▼ Nov 26, 2005 - Rename command syntax. It is a faster way to group rename files in Linux or Unix-like system. Say hello to zmv for zsh. Say hello to mmv command. Examples: Linux Rename Multiple Files Using a Shell Script. POSIX shell rename all *.bak to *.txt. Linux Shell script to rename files. Perl Script To Rename File.

linux - How to rename multiple files in single command or script in ... https://unix.stackexchange.com/.../how-to-rename-multiple-files-in-single-command-... ▼



Connect to UPPMAX

ssh - Secure SHell connection (ssh)

ssh -Y <username>@rackham.uppmax.uu.se Ex:

ssh -Y valent@rackham.uppmax.uu.se

Terminal in Linux and OS X

MobaXterm in Windows (http://mobaxterm.mobatek.net/)
Putty also alternative, but not as good..



Laboratory time!